



Pass

Pass

Test Report

Report No.: RGST211124110 Date: Dec 07, 2021 Page 1 of 35

Applicant : Guangdong Luddy Interactive Entertainment Ltd.

Address: Room 101, 1st Building, No.201, Jinyang Road, Zhangmutou Town, Dongguan City,

Guangdong, China

Report on the submitted sample(s) said to be:

Sample(s) Name : Baby balance bike

Model : 1003S

Labeled Age Grading : 10-24 months

Requested Age Grade : 10-24 months

Tested Age Grading : 10-24 months

Sample(s) received date : Nov 24, 2021 & Dec 03, 2021

Testing period : From Nov 24, 2021 to Dec 06, 2021

Test Request Conclusion

(1) As specified by client, to determine the Physical & Mechanical properties in the submitted Pass sample(s) in accordance with ASTM F963-17 Standard Consumer Safety Specification for Toy Safety.

(2) As specified by client, to determine the Tracking Labels for Children's Products in the submitted sample(s) in accordance with The tracking label requirement of the Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103.

(3) As specified by client, to determine the Flammability properties in the submitted sample(s) in Pass accordance with ASTM F963-17 Standard Consumer Safety Specification for Toy Safety.

(4) As specified by client, to determine the Mechanical and Physical Properties on the submitted sample(s) in accordance with European Standard on Safety of Toys-BS EN71-1:2014+A1:2018 Mechanical and physical properties.

(5) Labeling requirements of "CE marking, manufacturer/importer name and address, and product Pass identification" under "Directive 2009/48/EC Safety of Toy"

(6) UKCA Marking and Company name and UK address Labeling Pass

* Pr

Eason Zeng

Ben Miao

Physical Chemical

Technical Manager Technical Manager





Report No.: RGST211124110 Date: Dec 07, 2021 Page 2 of 35 **Test Request** Conclusion (7) As specified by client, to determine the Flammability Properties on the submitted sample(s) in Pass accordance with European Standard on Safety of Toys-BS EN 71-2:2020 Flammability. (8) As specified by client, to determine the Heavy Elements content in the submitted sample(s) in Pass accordance with ASTM F963-17 (Clause 4.3.5) Standard Consumer Safety Specification for Toy (9) As specified by client, to determine the Migration of Certain Elements content in the submitted Pass sample(s) in accordance with European Standard on Safety of Toys EN 71-3:2019+A1:2021. (10) As specified by client, to determine the Migration of Certain Elements content in the submitted Pass sample(s) in accordance with Toys (Safety) Regulations 2011. (11) As specified by client, to determine the Lead content in the submitted sample(s) in accordance Pass with Consumer Product Safety Improvement Act of 2008(H.R. 4040) & H.R.2715 amendment Title 1 section 101- Children's products containing lead; lead paint rule. (12) As specified by client, to determine the Lead content in the submitted sample(s) in accordance Pass with California "Proposition 65". (13) As specified by client, to determine Total Lead content in the submitted sample(s) in accordance Pass with Item 63 of Annex XVII of REACH Regulation (EC) 1907/2006. (14) As specified by client, to determine the Cadmium content in the submitted sample(s) in accordance Pass with Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006. (15) As specified by client, to determine the Cadmium content in the submitted sample(s) in accordance Pass with California "Proposition 65". (16) As specified by client, to determine the DEHP, DBP, BBP, DINP, DIBP, DPENP, DHEXP **Pass** and DCHP content in the submitted sample(s) in accordance with Consumer Product Safety Improvement Act of 2008(H.R. 4040) & H.R.2715 amendment &16 CFR Part 1307-Prohibition of Children Toys and Child Care Articles Containing Specified Phthalates, to determine the DIDP content in the submitted sample(s) in accordance with California "Proposition 65". (17) As specified by client, to determine the DEHP DBP BBP DIBP DINP DIDP and DNOP content in the submitted sample(s) in accordance with Item 51&52 of Annex XVII of REACH Regulation

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated. This Test Report shall not be reproduced except in full, without written approval of the Company.

(EC) 1907/2006.





Report No.: RGST211124110 Date: Dec 07, 2021 Page 3 of 35

Photograph(s) of Sample



GST authenticate the photo on original report only

Specimen Description:

No.	Test sample(s) name
1	Baby balance bike





Report No.: RGST211124110 Date: Dec 07, 2021 Page 4 of 35

Results:

(1) ASTM F963-17: Mechanical and physical hazards

Clause	Test request	Result(s)	Verdict
4.1	Material quality (visual check on cleanliness)	M	Pass
4.2	Flammability	M	Pass
4.3	Toxicology	Refer to Chemical section	(5)
4.3.7	Stuffing Materials	NA	1
4.4	Electrical/Thermal Energy	NA	/
4.5	Sound producing toys	NA	
4.6	Small objects	M	Pass
4.6.1	Toys that are intended for children under 36 months of age	M	Pass
4.6.2	Mouth actuated toys	NA	5 /
4.6.3	Toys and games for 36 months to 72 months—Small part warning	NA	1
4.7	Accessible edges-Potentially hazardous sharp metal and glass edges are defined in 16CFR 1500.49	M	Pass
4.8	Projections (under 8 years of age)	M	Pass
4.9	Accessible points -Potentially hazardous sharp points are defined by 16CFR 1500.48	M	Pass
4.10	Wires or rods	NA	/
4.11	Nails and fasteners	M	Pass
4.12	Plastic film	M	Pass
4.13	Folding mechanisms and hinges	NA	/ <
4.14	Cords and elastics in toys	NA	
4.15	Stability and over-load requirements	M	Pass
4.16	Confined spaces	NA	/
4.17	Wheels, tires, and axles (aged 96 months or less)	М	Pass
4.18	Holes, clearance, and accessibility of mechanisms	M	Pass
4.19	Simulated protective devices	NA	/
4.20	Pacifiers (under 36 months of age)	NA	/





Report No.: RGST211124110 Date: Dec 07, 2021 Page 5 of 35

Clause	Test request	Result(s)	Verdict
4.21	Projectile toys	NA	/
4.22	Teethers and teething toys	NA	< 7
4.23	Rattles	NA	/ &
4.24	Squeeze toys (under age of 18 months)	NA	/
4.25	Battery operated toys	NA	S /_
4.26	Toys intended to be attached to a crib or playpen	NA	1
4.27	Stuffed and beanbag type toys	NA	/
4.28	Stroller and carriage toys	NA	_/
4.29	Art materials	NA	/
4.30	Toy gun marking	NA	/3
4.31	Balloons—safety labeling	NA	<i>S</i> /
4.32	Certain toys with nearly spherical ends	NA	1
4.33	Marbles (3 years of age or older)	NA	/
4.34	Balls	NA NA	/
4.35	Pompoms (under 3 years of age)	NA	(5)
4.36	Hemispheric-Shaped Objects	NA	/
4.37	Yo Yo Elastic Tether Toys	NA	/
4.38	Magnets	NA	/
4.39	Jaw Entrapment in Handles and Steering Wheels	NA	
4.40	Expanding Materials	NA	/ 3
4.41	Toy Chests	NA	/
5	Labeling Requirements	4 -5	600
5.1	Federal government requirements	NA	10
5.2	Age grading labeling	Recorded: 10-	-24 months
5.3	Safety labeling requirements	NA	1
5.4	Aquatic toys	NA	/ 2
5.5	Crib and playpen toys	NA	/ 500





Report No.: RGST211124110 Date: Dec 07, 2021 Page 6 of 35

Clause	Test request	Result(s)	Verdict
5.6	Mobiles	NA	/
5.7	Stroller and carriage toys	NA	< 7
5.8	Toys intended to be assembled by an adult	M (See Note 1)	Pass
5.9	Simulated protective devices	NA	/
5.10	Toys with functional sharp edges or points	NA	/
5.11	Small objects, small balls, marbles and balloons.	NA	/
5.12	Toys caps	NA	/
5.13	Art materials	NA	~~/
5.14	Electric toys	NA	/ /
5.15	Battery-operated toys	NA	/
5.16	Promotional Materials	M (See Note 1)	Pass
5.17	Magnets	NA	/
6.1	Definition and Description	M (See Note 1)	Pass
6.2	Crib and playpen toys	NA	/
6.3	Mobiles	NA	/
6.4	Toys intended to be assembled by an adult	M (See Note 1)	Pass
6.5	Battery-operated toys	NA	39
6.6	Battery-Powered Ride-on toys	NA	/
6.7	Toys in contact with food	NA	
7	Producer's Markings	55	4
7.1	Either a principal component of a toy or the package of a toy shall be marked with the name and address of the producer or the distributor.	M (See Note 1)	Pass
7.2	Battery-powered ride-on toys	NA	1

Note:

- 1. No final package provided, but artwork of packaging was provided for review thus font size not verified.
- 2. M = Meet NA = Not Applicable

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated. This Test Report shall not be reproduced except in full, without written approval of the Company.

Shenzhen General Standard Testing Services Co.,Ltd





Report No.: RGST211124110 Date: Dec 07, 2021 Page 7 of 35

(2) CPSIA Tracking labels

Test method: As per CPSIA 2008 sec. 103. Tracking labels for children's products.

Result:

Requirement	Result(s)	Verdict
On Packagi	ng	1 6
Present on packaging	M (See Note 1)	Pass
Permanent	M (See Note 1)	Pass
Manufacturer or private labeler	M (See Note 1)	Pass
Location of production (City and country)	M (See Note 1)	Pass
Date of production (month and year)	M (See Note 1)	Pass
On Produc	t / / 🙏 / 🧎	-51
Present on product	M (See Note 1)	Pass
Permanent	M (See Note 1)	Pass
Location of production (City and country)	M (See Note 1)	Pass
Date of production (month and year)	M (See Note 1)	Pass
Manufacturer or private labeler	M (See Note 1)	Pass

Note:

- 1. No final package provided, but artwork of packaging was provided for review thus font size not verified.
- 2. M = Meet





Report No.: RGST211124110 Date: Dec 07, 2021 Page 8 of 35

(3) ASTM F963-17:Flammability of materials other than textiles

Test method: ASTM F963-17 Section 4.2

Method used: Federal Hazardous Substances Act (FHSA) 16 CFR 1500.44

Result:

Sample(s) name	Ignition point	Unit	Result(s)
Dahadishaa kila	Тор	in/sec	ISE
Baby balance bike	End	in/sec	ISE

- In accordance with the FHSA 16 CFR 1500.3 (C) (6) (vi), the burning rate should not be greater than 0.1 in/sec.

- ISE = Ignited but Self-Extinguished





Report No.: RGST211124110 Date: Dec 07, 2021 Page 9 of 35

(4) Mechanical and physical properties – BS EN 71-1:2014+A1:2018

Clause	Test request	Result(s)	Verdict
4	General requirements	100	5
4.1	Material cleanliness	M	Pass
4.2	Assembly	M (See Note 1)	Pass
4.3	Flexible plastic sheeting	NA	1
4.4	Toy bags	NA	/
4.5	Glass	NA	/
4.6	Expanding materials	NA	5/
4.7	Edges	M	Pass
4.8	Points and metallic wires	M	Pass
4.9	Protruding parts	M S	Pass
4.10	Parts moving against each other	1 3	65,
4.10.1	Folding and sliding mechanisms	NA	18
4.10.2	Driving mechanisms	NA	/
4.10.3	Hinges	NA	/
4.10.4	Springs	NA	P
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA	/
4.12	Balloons	NA	/
4.13	Cords of toy kites and other flying toys	NA	· /
4.14	Enclosures	4 .51	Ci.
4.14.1	Toy which a child can enter	NA	/
4.14.2	Masks and helmets	NA	1
4.15	Toys intended to bear the mass of a child	65	0
4.15.1	Toys propelled by a child or by other means	M	Pass
4.15.2	Toy bicycles	NA	<i>/</i>
4.15.3	Rocking horses and similar toys	NA	/
4.15.4	Toys not propelled by child	NA	/





Report No.: RGST211124110 Date: Dec 07, 2021 Page 10 of 35

Clause	Test request	Result(s)	Verdic
4.15.5	Toy scooters	NA	/
4.16	Heavy immobile toys	NA	57
4.17	Projectile toys	C. C.	Ci.
4.17.1	General	NA	/
4.17.2	All projectiles	NA	/
4.17.3	Projectile toys with stored energy	NA	39
4.17.4	Certain projectile toys without stored energy	NA	/ (
4.18	Aquatic toys and inflatable toys	NA	4/
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA	/-
4.20	Acoustics	NA	/
4.21	Toys containing a non-electrical heat source	NA	/
4.22	Small balls	NA	30%
4.23	Magnets	NA	/<
4.24	Yo-yo balls	NA	/
4.25	Toys attached to food	NA	/
4.26	Toy disguise costumes	NA	/
4.27	Flying toys	NA	/
5	Toys intended for children under 36 months	55	,5 ¹
5.1	General requirements	M	Pass
5.2	Soft-filled toys and soft-filled parts of a toy	NA	/
5.3	Plastic sheeting	NA	/
5.4	Cords, chains and electrical cables in toys	NA	1
5.5	Liquid-filled toys	NA	/
5.6	Speed limitation of electrically-driven ride-on toys	NA	/
5.7	Glass and porcelain	NA	(5)
5.8	Shape and size of certain toys	NA	1
5.9	Toy comprising monofilament fiber	NA	/





Report No.: RGST211124110 Date: Dec 07, 2021 Page 11 of 35

Clause	Test request	Result(s)	Verdict
5.10	Small balls	NA	/
5.11	Play figures	NA	87
5.12	Hemispheric-shaped toys	NA	1
5.13	Suction cups	NA	/
5.14	Straps intended to be worn fully or partially around the neck	NA	/
5.15	Sledges with cords for pulling	NA	39
6	Packaging	M	Pass
7	Warning, marking and instructions for use	5	4
7.1	General	M (See Note 1)	Pass
7.2	Toys not intended for children under 36 months	NA	/
7.3	Latex balloons	NA	/
7.4	Aquatic toys	NA	(S ^C)
7.5	Functional toys	NA	/3
7.6	Hazardous sharp functional edges and points	NA	/
7.7	Projectile toys	NA	/
7.8	Imitation protective masks and helmets	NA	/
7.9	Toy kites	NA	/
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	M (See Note 1)	Pass
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA	/
7.12	Liquid-filled teethers	NA	/
7.13	Percussion caps specifically designed for use in toys	NA	/
7.14	Acoustics	NA	57
7.15	Toy bicycles	NA	/
7.16	Toys intended to bear the mass of a child	M (See Note 1)	Pass
7.17	Toys comprising monofilament fibers	NA	10
7.18	Toy scooters	NA	/





Report No.: RGST211124110 Date: Dec 07, 2021 Page 12 of 35

Clause	Test request	Result(s)	Verdict
7.19	Rocking horses and similar toys	NA	/
7.20	Magnetic/electrical experimental sets	NA	/
7.21	Toys with electrical cables exceeding 300 mm in length	NA	15
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA	/
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA	1
7.24	Sledges with cords for pulling	NA	/
7.25	Flying toys	NA	/
7.26	Improvised projectiles	NA	/

Note:

- 1. No final package provided, but artwork of packaging was provided for review thus font size not verified.
- 2. M = Meet NA = Not Applicable
- 3. BS EN 71-1:2014+A1:2018 is not included in CNAS Accreditation scope.

(5) 2009/48/EC general labeling requirement

Requirement	Result(s)	Verdict
CE Marking	M (See Note 1)	Pass
Manufacturer/importer name and address	M (See Note 1)	Pass
Product identification	M (See Note 1)	Pass

Note:

- 1. No final package provided, but artwork of packaging was provided for review thus font size not verified
- $2. \quad M = Meet$





Report No.: RGST211124110 Date: Dec 07, 2021 Page 13 of 35

(6) UKCA Marking and Company name and UK address Labeling

Requirement	Result(s)	Verdict
UKCA Marking	M	Pass
UKCAMaking	(See Note 1)	1 435
Common and HW address	M	Davis
Company name and UK address	(See Note 1)	Pass

Note:

- 1. No final package provided, but artwork of packaging was provided for review thus font size not verified
- 2. M = Meet

(7) Flammability -BS EN 71-2:2020

Clause	Test request	Result(s)	Verdict
4	Requirement	Circ	4
4.1	Cellulose nitrate	М	Pass
4.1	Highly flammable solids	М	Pass
4.1	Surface flash on a piled surface	NA	1 (\$
4.1	Flammable gases	NA	/
4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	NA	/
4.2	Toys to be worn on the head	NA	/
4.3	Toy disguise costumes and toys intended to be worn by child in play	NA	/
4.3	warning on product and packaging (10 - 30 mm/s)	NA	301
4.4	Toys intended to be entered by child	NA	/
4.4	warning on product and packaging (10 – 30 mm/s)	NA	/
4.5	Soft-filled toys	NA	/

Note:

- 1. M = Meet NA = Not Applicable
- 2. BS EN 71-2:2020 is not included in CNAS Accreditation scope.





Report No.: RGST211124110 Date: Dec 07, 2021 Page 14 of 35

Specimen Description:

No.	Test part(s) name
SP 4	Black foam, handle
2	Black soft plastic, block shot
3	White coating, handle/support
4	Silvery metal tube, handle
5	Black plastic, support cover/fixation
6	Silvery metal tube, support
7	Silvery metal, gasket
8	Black plated silvery metal, screw
9	Iridescent plated metal, nut
10	Laminated black printed transparent sticker
11	White synthetic leather, cushion
12	Black plastic, cushion
13	Black plated silvery metal, long screw
14	Black plated silvery metal, cushion screw
15	Black foam, wheel
16	Black plastic, hubcaps
17	White plastic, hubcaps
18	Laminated black and red printed white plastic sticker
19	Silvery solder
20	Iridescent plated metal, spanner





Report No.: RGST211124110 Date: Dec 07, 2021 Page 15 of 35

(8) Heavy Elements content- ASTM F963-17 (Clause 4.3.5) Standard Consumer Safety Specification for Toy Safety.

Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate)

Test Method: CPSC-CH-E1001-08.3 & CPSC-CH-E1002-08.3

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Turking	17.7	MDI	4.6	Result(s)				
Test item(s)	Unit	MDL	Limit	1 5	2	4	5	
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	N.D.	

Test item(s)	Unit	MDL	Limit	Result(s)					
				6	7	8	9		
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	N.D.		

Test items(e)	Tinia	MDL	Limit	Result(s)					
Test item(s)	Unit			10	11	12	13		
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	N.D.		

Test item(s)	T Tuit	MDI	Limit	Result(s)					
Test item(s)	Unit MDL	MDL	Limit	14	15	16	17		
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	N.D.		

Test item(s)	I Init	MDI	Limit	Result(s)				
Test item(s)	Unit	MDL	Limit	18	19	20		
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.		





Report No.: RGST211124110 Date: Dec 07, 2021 Page 16 of 35

Total Lead (Pb) Content in Surface Coating
Test Method: CPSC-CH-E1003-09.1

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

T	11.45	MDI	Limit	Result(s)
Test item(s)	Unit	Unit MDL Lir		3
Lead(Pb)	mg/kg	10	90	N.D.

Soluble elements Content

Test Method: ASTM F 963-17 Section 8.3.2 & ASTM F 963-17 Section 8.3.5

Test Instrument: Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

T-14.4()	TIVE	MDI	Limit	1	Result(s)						
Test item(s)	Unit	MDL	Limit	1	2	3	5	10			
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.			
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.			
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.			
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.			
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.			
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.			
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.			
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.			





Report No.: RGST211124110 Date: Dec 07, 2021 Page 17 of 35

T	TT.U	MDI	, S23	Result(s)						
Test item(s)	Unit	MDL	Limit	11	12	15	16	17	18	
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	
Selenium(Se)	mg/kg	5 / 5	500	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	





Report No.: RGST211124110 Date: Dec 07, 2021 Page 18 of 35

(9) Migration of Certain Elements- EN 71-3:2019+A1:2021

Test Method: EN 71-3:2019+A1:2021

Test Instrument: Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES),

Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

Liquid Chromatography-Inductively Coupled Plasma Mass Spectrometer (LC-ICP-MS)

c5)	Cia.		City, V	Limit (mg/kg)	4	5	Res	ult(s)	G.
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	1	2	3	5
Al	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.	N.D.
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.
Ba	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.
Zn	mg/kg	2	3750	938	46000	102	N.D.	34	N.D.





Report No.: RGST211124110 Date: Dec 07, 2021 Page 19 of 35

	50		51 6	Limit (mg/kg)	2 6		Res	ult(s)	جي آ	
Test item(s)	Unit	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	10	11	12	15
Al	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.	N.D.	
Sb	mg/kg	2/	45	11.3	560	N.D.	N.D.	N.D.	N.D.	
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.	
Ba	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.	
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.	
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.	
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.	
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.	
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.	
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.	
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.	
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.	
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.	
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.	
Zn	mg/kg	2	3750	938	46000	25	86	N.D.	N.D.	





Report No.: RGST211124110 Date: Dec 07, 2021 Page 20 of 35

	50 1		57	Limit (mg/kg)	4 -6		Result(s)	
Test item(s)	Unit MDL	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	16	17	18
Al	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.
Ba	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.

⁻The Migration content limit is Category 3.

⁻ Migration of Certain Elements is not included in CNAS Accreditation scope.





Report No.: RGST211124110 Date: Dec 07, 2021 Page 21 of 35

Remark:

1. The migration of organic tin is expressed as Tributyltin(TBT).

- 2. Confirmation test of soluble chromium (III) & chromium (VI) is not required in case of soluble chromium does not exceed their requirements as specified in EN 71-3:2019+A1:2021.
- 3. Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in EN 71-3:2019+A1:2021.

(10) Migration of Certain Elements- Toys (Safety) Regulations 2011

Test Method: BS EN 71-3:2019+A1:2021

Test Instrument: Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES),

Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

Liquid Chromatography-Inductively Coupled Plasma Mass Spectrometer (LC-ICP-MS)

· Cir	1	(5)		Limit (mg/kg)	15		Resi	ult(s)	(5)
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	1	2	3	5
Al	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.	N.D.
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.
Ba	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.





Report No.: RGST211124110 Date: Dec 07, 2021 Page 22 of 35

5	50		57 6	Limit (mg/kg)		Result(s)				
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	1	2	3	5	
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Sr	mg/kg	2/	4500	1125	56000	N.D.	N.D.	N.D.	N.D.	
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.	
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.	
Zn	mg/kg	2	3750	938	46000	102	N.D.	34	N.D.	

Circ.	65		6. 21	Limit (mg/kg)	11 1/	(in)	Resi	ult(s)	
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	10	11	12	15
Al	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.	N.D.
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.
Ba	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.





Report No.: RGST211124110 Date: Dec 07, 2021 Page 23 of 35

5	50		57 6	Limit (mg/kg)			Res	ult(s)	c.
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	10	11	12	15
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.
Ni	mg/kg	2/	75	18.8	930	N.D.	N.D.	N.D.	N.D.
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.
Zn	mg/kg	2	3750	938	46000	25	86	N.D.	N.D.

A 65	, ,	9		Limit (mg/kg)	100		Result(s)	45
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	dry, brittle, powder-like, or pliable materials Category 2: Category 3: scraped-off materials	16	17	18	
Al	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.
Ba	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.





Report No.: RGST211124110 Date: Dec 07, 2021 Page 24 of 35

5	35		2, 0.	Limit (mg/kg)		5	Result(s)	
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	16	17	18
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.
Mn	mg/kg	2/	1200	300	15000	N.D.	N.D.	N.D.
Hg	mg/kg	/1 /	7.5	1.9	94	N.D.	N.D.	N.D.
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.

⁻The Migration content limit is Category 3.

Remark:

- 1. The migration of organic tin is expressed as Tributyltin(TBT).
- 2. Confirmation test of soluble chromium (III) & chromium (VI) is not required in case of soluble chromium does not exceed their requirements as specified in BS EN 71-3:2019+A1:2021.
- 3. Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in BS EN 71-3:2019+A1:2021.

⁻ Migration of Certain Elements is not included in CNAS Accreditation scope.





Report No.: RGST211124110 Date: Dec 07, 2021 Page 25 of 35

(11) Total lead content - Consumer Product Safety Improvement Act of 2008(H.R. 4040) & H.R.2715 amendment Title 1 section 101

Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate)

Test Method: CPSC-CH-E1001-08.3 & CPSC-CH-E1002-08.3

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	TTuis C	MDI	T:50:14	Result(s)			
Test item(s)	Unit	MDL	Limit	1 5	2	4	5
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	N.D.

Test item(s)	S Their	MDL	Timb	Result(s)			
rest fielfi(s)	Unit	MIDL	Limit	6	7	8	9
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	N.D.

Test item(s)	This	MDI	T ::	Result(s)			5
rest item(s)	Unit	MDL	Limit	10	11	12	13
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	N.D.

Test item(s)	Unit	MDL	Limit	Result(s)			
rest item(s)	Omt	MDL	Lillin	14	15	16	17
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	N.D.

Test item(s)	TT	MDI	Timis	Result(s)			
Test item(s)	Unit	MDL	Limit	18	18 19 20		
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	





Report No.: RGST211124110 Date: Dec 07, 2021 Page 26 of 35

Total Lead (Pb) Content in Surface Coating
Test Method: CPSC-CH-E1003-09.1

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

T- (1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	TT-16	MDI		Result(s)
Test item(s) Unit	MDL	Limit	3	
Lead(Pb)	mg/kg	10	90	N.D.

(12) Total lead content-California "Proposition 65"

Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate)

Test Method: CPSC-CH-E1001-08.3 & CPSC-CH-E1002-08.3

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	Unit	MDI	T tout	Result(s)					
		MDL	Limit	1	/ /2	4	5		
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	N.D.		

Test item(s)	Unit MDL		Timite	Result(s)				
	Unit MDL	MDL	Limit	6	7	8	9	
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	N.D.	

Test items(s)	II.ia MDI		Limit	Result(s)				
Test item(s)	Unit MDL	10		11	12	13		
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	N.D.	

Test item(s)	Unit MD	MDI	Limit	Result(s)				
		MDL		14	15	16	17	
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	N.D.	

Test item(s)	Hait MDI		T : 50	Result(s)			
	Unit MDL	MDL	Limit	18	19	20	
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated. This Test Report shall not be reproduced except in full, without written approval of the Company.

Shenzhen General Standard Testing Services Co.,Ltd





Report No.: RGST211124110 Date: Dec 07, 2021 Page 27 of 35

Total Lead (Pb) Content in Surface Coating
Test Method: CPSC-CH-E1003-09.1

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

T ('4 (.)	TI. W	MDL	Limit	Result(s)
Test item(s)	Test item(s) Unit		Limit	3
Lead(Pb)	mg/kg	10	90	N.D.

(13) Total lead content - Item 63 of Annex XVII of REACH Regulation (EC) 1907/2006

Test Method: IEC 62321-5:2013

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	Unit	MDI	Limit	Result(s)				
		MDL		1	2	3	4	
	Lead(Pb)	mg/kg	10	500	N.D.	N.D.	N.D.	N.D.

Test item(s)	I Init	MDI	Limit	Result(s)			
	Unit MD	MDL		5	6	7.5	8
Lead(Pb)	mg/kg	10	500	N.D.	N.D.	N.D.	N.D.

Test item(s)	Linit MDI		Limit	Result(s)			
	Unit MDL	9		10	11	12	
Lead(Pb)	mg/kg	10	500	N.D.	N.D.	N.D.	N.D.

Test item(s)	Unit	MDL	Limit	Result(s)			
				13	14	15	16
Lead(Pb)	mg/kg	10	500	N.D.	N.D.	N.D.	N.D.

T(-)	I lait	MDL	Limit -	Result(s)			
Test item(s)	Unit			17	18	19	20
Lead(Pb)	mg/kg	10	500	N.D.	N.D.	N.D.	N.D.





Report No.: RGST211124110 Date: Dec 07, 2021 Page 28 of 35

(14) Total Cadmium content- Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006

Test Method: IEC 62321-5: 2013

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

1	Today	77.14	MDI	1 . 55	Timit		Result(s)			
	Test item(s)	Unit	MDL	Limit	1	2	3	5		
	Cadmium(Cd)	mg/kg	5	Refer to Remark	N.D.	N.D.	N.D.	N.D.		

Testitem(s)	// Dist	MDI	T :		Resu	ılt(s)	
Test item(s)	Unit	MDL	Limit	10	11	12	15
Cadmium(Cd)	mg/kg	5	Refer to Remark	N.D.	N.D.	N.D.	N.D.

Unit	MDI	Limit	Result(s)			
	MDL		16	17	18	
mg/kg	5	Refer to Remark	N.D.	N.D.	N.D.	
	4	4		16	Unit MDL Limit 16 17	

Remark:

Category	Limit (mg/kg)
Paints with code[3208]and [3209]	100
Paints with code[3208]and [3209] with a zinc content exceeding 10% by weight of the paint	1000
Painted article	1000
Plastic	100
Metal parts of jewelry & hair accessories	100





Report No.: RGST211124110 Date: Dec 07, 2021 Page 29 of 35

(15) Total Cadmium content - California "Proposition 65"

Test Method: With reference to IEC 62321-5: 2013

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Tot itom(a)	11.12	MDI	T-114	65	Resu	ılt(s)	55
Test item(s)	Unit	MDL	Limit	1,5	2	3	4
Cadmium(Cd)	mg/kg	5	300	N.D.	N.D.	N.D.	N.D.

Test item(c)	IIIaia	MDI	rania.	(5)	Resi	ult(s)	4 6
Test item(s)	Unit	MDL	Limit	5	6	7	8
Cadmium(Cd)	mg/kg	5	300	N.D.	N.D.	N.D.	N.D.

Took its ma(s)	11	MDI	T innia	1/69/1	Resi	ult(s)	A .
Test item(s)	Unit	MDL	Limit	9	10	11	12
Cadmium(Cd)	mg/kg	5	300	N.D.	N.D.	N.D.	N.D.

Test item(s)	Unit	MDI	Limit	(5)	Resu	lt(s)	7
Test item(s)	Unit	MDL	Limit	13	14	15	16
Cadmium(Cd)	mg/kg	5	300	N.D.	N.D.	N.D.	N.D.

Test item(s)	Unit	MDL	Limit	1 6	Res	sult(s)	35, 7
rest item(s)	Ont	MIDL	Lillin	17	18	19	20
Cadmium(Cd)	mg/kg	5	300	N.D.	N.D.	N.D.	N.D.





Report No.: RGST211124110 Date: Dec 07, 2021 Page 30 of 35

(16) Phthalates content- Consumer Product Safety Improvement Act of 2008(H.R. 4040) & H.R.2715 amendment &16 CFR Part 1307-Prohibition of Children Toys and Child Care Articles Containing Specified Phthalates & California "Proposition 65".

Test Method: CPSC-CH-C1001-09.4(2018)

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

Test item(s)	CAS No.	Unit	MDL	Limit	Result(s)		
Test item(s)	CAB 140. Oint		MIDL	Lillit	1	2	
Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.	
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.	
Benzyl butyl phthalate (BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.	
Di-iso-nonyl phthalate (DINP)	28553-12-0 68515-48-0	mg/kg	100	1000	N.D.	N.D.	
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.	
Di-n-pentyl Phthalate (DPENP)	131-18-0	mg/kg	50	1000	N.D.	N.D.	
Di-n-hexyl Phthalate (DHEXP)	84-75-3	mg/kg	50	1000	N.D.	N.D.	
Dicyclohexly Phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.	
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	mg/kg	100	1000	N.D.	N.D.	

Test item(s)	CAS No.	Unit	MDL	Limit	Result(s)		
rest item(s)	CAD IVO. Unit		WIDL	Limit	3	5	
Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.	
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.	
Benzyl butyl phthalate (BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.	
Di-iso-nonyl phthalate (DINP)	28553-12-0 68515-48-0	mg/kg	100	1000	N.D.	N.D.	
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.	
Di-n-pentyl Phthalate (DPENP)	131-18-0	mg/kg	50	1000	N.D.	N.D.	
Di-n-hexyl Phthalate (DHEXP)	84-75-3	mg/kg	50	1000	N.D.	N.D.	
Dicyclohexly Phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.	





Report No.: RGST211124110 Date: Dec 07, 2021 Page 31 of 35

55	Test item(s)	CAS No. Unit	MDL	Limit	Result(s)		
	rest item(s)	CAS NO.	Omt	WIDE	Limit	3	5
	Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	mg/kg	100	1000	N.D.	N.D.

Test item(s)	CAS No.	Unit	MDL	Limit	Result(s)		
	CAS No.	Oilit	MDL	Lillit	10	11	
Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.	
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.	
Benzyl butyl phthalate (BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.	
Di-iso-nonyl phthalate (DINP)	28553-12-0 68515-48-0	mg/kg	100	1000	N.D.	N.D.	
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.	
Di-n-pentyl Phthalate (DPENP)	131-18-0	mg/kg	50	1000	N.D.	N.D.	
Di-n-hexyl Phthalate (DHEXP)	84-75-3	mg/kg	50	1000	N.D.	N.D.	
Dicyclohexly Phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.	
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	mg/kg	100	1000	N.D.	N.D.	

Test item(s)	CAS No.	Unit	MDL	Limit	Result(s)		
	CAS No.	Omt	MIDL	Lillit	12	15	
Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.	
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.	
Benzyl butyl phthalate (BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.	
Di-iso-nonyl phthalate (DINP)	28553-12-0 68515-48-0	mg/kg	100	1000	N.D.	N.D.	
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.	
Di-n-pentyl Phthalate (DPENP)	131-18-0	mg/kg	50	1000	N.D.	N.D.	
Di-n-hexyl Phthalate (DHEXP)	84-75-3	mg/kg	50	1000	N.D.	N.D.	
Dicyclohexly Phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.	





Report No.: RGST211124110 Date: Dec 07, 2021 Page 32 of 35

S	Test item(s)	CAS No.	Unit	MDL	Limit	Result(s)		
0	rest tem(s)	CAS NO.	Oint	WIDE	Limit	12	15	
	Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	mg/kg	100	1000	N.D.	N.D.	

Test item(s)	CAS No.	Unit	MDL	Limit	Result(s)		
	CAS No.	Oilit	MDL	Limit	16	17	18
Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.	N.D.
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.	N.D.
Benzyl butyl phthalate (BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.	N.D.
Di-iso-nonyl phthalate (DINP)	28553-12-0 68515-48-0	mg/kg	100	1000	N.D.	N.D.	N.D.
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.	N.D.
Di-n-pentyl Phthalate (DPENP)	131-18-0	mg/kg	50	1000	N.D.	N.D.	N.D.
Di-n-hexyl Phthalate (DHEXP)	84-75-3	mg/kg	50	1000	N.D.	N.D.	N.D.
Dicyclohexly Phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.	N.D.
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	mg/kg	100	1000	N.D.	N.D.	N.D.

⁻ DIDP is not included in CNAS Accreditation scope.





Report No.: RGST211124110 Date: Dec 07, 2021 Page 33 of 35

(17) Phthalates content- Item 51 & 52 of Annex XVII of REACH Regulation (EC) 1907/2006

Test Method: With reference to EN 14372:2004(E)

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

Test item(s)	I In:i4	MDI	(5)	Result(s)				
	Unit	MDL	Limit	1	2	3	5	
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.	
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.	
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.	
Diisobutyl phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.	
Total(DEHP+ DBP+BBP+ DIBP)	mg/kg	100	1000	N.D.	N.D.	N.D.	N.D.	
Diisononyl Phthalate (DINP)	mg/kg	100	59	N.D.	N.D.	N.D.	N.D.	
Diisodecyl Phthalate (DIDP)	mg/kg	100	/1/5	N.D.	N.D.	N.D.	N.D.	
Di-n-octyl Phthalate (DNOP)	mg/kg	50	M	N.D.	N.D.	N.D.	N.D.	
Total(DINP+ DIDP+DNOP)	mg/kg	/	1000	N.D.	N.D.	N.D.	N.D.	

Test item(s)	Unit	MDL	Limit	Result(s)				
	Oilit MDL		Limit	10	11	12	15	
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.	
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.	
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.	
Diisobutyl phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.	
Total(DEHP+ DBP+BBP+ DIBP)	mg/kg	7	1000	N.D.	N.D.	N.D.	N.D.	
Diisononyl Phthalate (DINP)	mg/kg	100	/	N.D.	N.D.	N.D.	N.D.	
Diisodecyl Phthalate (DIDP)	mg/kg	100	/	N.D.	N.D.	N.D.	N.D.	
Di-n-octyl Phthalate (DNOP)	mg/kg	50	/	N.D.	N.D.	N.D.	N.D.	
Total(DINP+ DIDP+DNOP)	mg/kg	/	1000	N.D.	N.D.	N.D.	N.D.	





Report No.: RGST211124110 Date: Dec 07, 2021 Page 34 of 35

Test item(s)	TT. W	MDI		Result(s)				
	Unit	MDL	Limit -	16	17	18		
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	N.D.		
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.		
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.		
Diisobutyl phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.	N.D.		
Total(DEHP+ DBP+BBP+ DIBP)	mg/kg	/	1000	N.D.	N.D.	N.D.		
Diisononyl Phthalate (DINP)	mg/kg	100	/50	N.D.	N.D.	N.D.		
Diisodecyl Phthalate (DIDP)	mg/kg	100	/	N.D.	N.D.	N.D.		
Di-n-octyl Phthalate (DNOP)	mg/kg	50		N.D.	N.D.	N.D.		
Total(DINP+ DIDP+DNOP)	mg/kg	27	1000	N.D.	N.D.	N.D.		


⁻ DIBP is not included in CNAS Accreditation scope.

Note:

- mg/kg=milligram per kilogram
- N.D. =Not Detected (<MDL)
- MDL=Method Detection Limit
- The soluble test results shown are of the adjusted analytical results.

Appendix

1. Test flowchart for Pb/Cd content:



This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated. This Test Report shall not be reproduced except in full, without written approval of the Company.


Shenzhen General Standard Testing Services Co.,Ltd






Report No.: RGST211124110 Date: Dec 07, 2021 Page 35 of 35

2. Test flowchart for soluble elements content:



3. Test flowchart for Phthalates content:



*** End of Report ***